

**I Claim:**

1. A secure file transfer system hosted on a server computer connected to a computer network and accessible by users via client computers connected to the computer network and running a

5   hypertext viewer, the system including:

        a request page including a request submission object operable by a user visiting the request page;

        a destination specification page including a destination specification tool with which the user specifies a destination of the secure file transfer, the destination specification page further including a transfer initiation object operable by the user to initiate transmission of the document;

        a client side application sent to the client computer upon operation by the user of the transfer initiation object, the client side application including:

            a file picker prompting the user to select a file for transfer to the destination, the client side application first sending the file to the server computer in blocks determined by a size of the file;

            a key generator that generates a shared secret key and shares the key with the system on the server computer; and

            an encrypter, including essential parameters for encryption, that encrypts the file in its entirety and also encrypts each block of the file as the client side application sends the file in blocks to the server computer; and

        a notifier that notifies a recipient user at the destination that the file awaits pickup on the server computer.

2. The system of claim 1 wherein the hypertext viewer is a web browser.

3. The system of claim 1 wherein the client-side application is a java applet.

4. The system of claim 1 wherein the first encryption method is an elliptical encryption method.

5. The system of claim 2 wherein the parameters for the elliptical encryption method include  $q$ ,  $a$ ,  $b$ ,  $r$ , and  $G$ .

6. The system of claim 1 wherein the second encryption method is a public key agreement scheme.

7. The system of claim 4 wherein the second encryption method is the Mendez-Qu-Vanstone public key agreement scheme with cofactor multiplication.

8. The system of claim 1 further including a secure document manager that displays statistics relating to a user's usage of the system.

9. The system of claim 6 wherein the manager displays a list of secure documents awaiting pickup.

10. The system of claim 1 wherein the notifier sends an e-mail message to the recipient.

11. The system of claim 8 wherein the e-mail message includes a hypertext link to the secure document awaiting pickup.

12. A secure file transfer system hosted on a server computer connected to a computer network and accessible by users via client computers connected to the computer network and running a desktop software application, the system including:

a request page including a request submission object operable by a user visiting the request page;

a destination specification page including a destination specification tool with which the user specifies a destination of the secure file transfer, the destination specification page further including a transfer initiation object operable by the user to initiate transmission of the document;

a desktop software application sent to the client computer upon operation by the user of the transfer initiation object, the desktop software application including:

- a file picker prompting the user to select a file for transfer to the destination, the desktop software application first sending the file to the server computer in blocks determined by a size of the file;
- a key generator that generates a shared secret key and shares the key with the system on the server computer; and
- an encrypter, including essential parameters for encryption, that encrypts the file in its entirety and also encrypts each block of the file as the desktop software application sends the file in blocks to the server computer; and
- a notifier that notifies a recipient user at the destination that the file awaits pickup on the server computer.

13. The system of claim 12 wherein the desktop software application is a Windows based software application.

14. The system of claim 12 wherein the first encryption method is an elliptical encryption method.

15. The system of claim 14 wherein the parameters for the elliptical encryption method include  $q$ ,  $a$ ,  $b$ ,  $r$ , and  $G$ .

16. The system of claim 12 wherein the second encryption method is a public key agreement scheme.

17. The system of claim 16 wherein the second encryption method is the Mendez-Qu-Vanstone public key agreement scheme with cofactor multiplication.

18. The system of claim 12 further including a secure document manager that displays statistics relating to a user's usage of the system.

19. The system of claim 18 wherein the manager displays a list of secure documents awaiting pickup.

20. The system of claim 12 wherein the notifier sends an e-mail message to the recipient.

21. The system of claim 20 wherein the e-mail message includes a hypertext link to the secure document awaiting pickup.

- 5        22. A secure file transfer method executed as a software application on a server computer connected to a computer network and accessible by users via client computers connected to the computer network and running a web browser, the method including the steps of:
- 10        receiving a request from a user for secure file transfer;  
           sending an Java applet to the client computer with parameters for first and second methods of encryption, the first method of encryption not requiring additional information from either side of the transfer and a shared secret key
- 15        for the second method of encryption being sent in encrypted form;  
           receiving and decrypting with the Java applet the shared secret key for the second of encryption;  
           encrypting a file to be transferred with the Java applet by applying the first method of encryption;
- 20        breaking the file into blocks with the Java applet;  
           encrypting each block with the Java applet by applying the second method of encryption and sending the block to the server with the Java applet;
- 25        decrypting the encrypted file blocks and assembling into a decrypted file with the shared secret key as they arrive at a recipient computer;  
           storing the encrypted file on a mass storage device; and  
           notifying a recipient at a destination of the file that the file
- 30        awaits pickup on the server computer.

23. The method of claim 22 wherein the step of applying the first method of encryption includes the substep of applying an elliptical encryption method.

24. The method of claim 22 wherein the step of applying the second method of encryption includes applying the Mendez-Qu-Vanstone public key agreement scheme with cofactor multiplication.

5 25. The method of claim 22 wherein the step of notifying includes sending an e-mail message to the recipient.

26. The method of claim 25 wherein the e-mail message includes a hypertext link to the file.

27. The method of claim 22 further including the step of displaying user usage statistics.

10 28. The method of claim 22 further including the step of providing a transfer request page from which the user requests the file transfer.

15 29. The method of claim 28 wherein the step of providing a transfer request page includes providing a document forwarding request.

20 30. A secure file transfer system hosted on a main server computer connected to a computer network and accessible by users via client computers connected to the computer network, the system including a file picker with which a sending user specifies a file to be transferred to a recipient, a file encrypter in communication with the file picker that encrypts the specified file to produce an encrypted file, a file sender that transfers the encrypted file to an encrypted file storage location, and a notifier that alerts a recipient of the file that the encrypted file awaits pickup.

25 31. The system of claim 30 wherein the file resides on a mass storage device on a storage server computer connected to the computer network.

30 32. The system of claim 31 wherein the storage server is closely associated with the main server and provides online remote storage for the sending user.

33. The system of claim 31 wherein the file picker presents the sending user with a list of files present on the storage server and accessible to the sending user.

5 34. The system of claim 30 wherein the storage server is closely associated with the sending user's computer and the file picker is part of a Java applet sent to the sending user's computer by the system, the file picker including a user interface tying into the sending user computer's operating system so that the user can browse storage devices closely associated with the sending user's  
10 computer.

35. The system of claim 34 wherein the storage server is a storage device that is physically part of the sending user's computer.

36. The system of claim 34 wherein the storage server is a volume directly accessible by the sending user's computer but  
15 inaccessible to the main server without the sending user's use of the file picker.

37. The system of claim 30 wherein the encrypter is a client-side routine that is part of a Java applet sent to the sending user's computer by the system, the encrypter including essential  
20 parameters for encryption.

38. The system of claim 37 wherein the encrypter uses elliptical encryption.

39. The system of claim 30 wherein the file sender breaks the encrypted file into blocks and sends the blocks to the storage  
25 location.

40. The system of claim 39 wherein the file sender interacts with the file encrypter so that the file encrypter encrypts each block of the encrypted file as the file sender sends the block to the storage location.

30 41. The system of claim 40 further including a block decrypter between the file sender and the storage location that decrypts each block of the encrypted file as it receives the blocks from file sender.

42. The system of claim 39 further including an assembler between the file sender and the storage location that reassembles the blocks into the encrypted file.

673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000